

FIGURE 1

Section AA





FIGURE 2

TOLERANCE (UNLESS OTHERWISE SPECIFIED)	C.U.E., Inc. 11 LEBNERS RD. CRANBURY TWP, PA 16066 U.S.A.		
DECIMAL	SCALE: NTS	PART NUMBER:	DR. BY: KLV
FRACTION	DATE: 10/14/79	REVISED:	MOLD NUMBER: 2575
ANGULAR	Ball Lift Wheel		DRAWING NUMBER: P-2521

Solid Cast Flexible
Elastomer Bonded to
Microcellular Elastomer



Microcellular
Elastomer

Note
FIGURE 3

- 1) All dimension as required to suit OEM Equipment
- 2) All molded densities and hardnesses determined per application requirement





FIGURE 4

TOLERANCE (EXCEPT AS NOTED)	CUE, Inc. 11 LEONBERG RD. CRANBERRY TWP, PA 16066 U. S. A.			
DECIMAL	SCALE:	NTS	PART NUMBER:	DR. BY: KLV
	DATE:	10/99		REVISED:
FRACTION	Microcellular Design # 1			MOLD NUMBER:
ANGULAR	Zero Crush Roll			DRAWING NUMBER: Sketch

Solid Cast Flexible
Elastomer Bonded to
Microcellular Elastomer



Microcellular
Elastomer

Note

FIGURE 5

- 1) All dimension as required to suit OEM Equipment
- 2) All molded densities and hardnesses determined per application requirement





FIGURE 6

TOLERANCE (EXCEPT AS NOTED)	C.U.E., Inc. 11 LEONBERG RD. CRANBERRY TWP, PA 16066 U. S. A.			
DECIMAL	SCALE: NTS	PART NUMBER:	DR. BY: KLV	
FRACTION	DATE: 10/99	Microcellular Design # 2	REVISED:	MOLD NUMBER:
ANGULAR	Zero Crush Roll			DRAWING NUMBER: Sketch

Solid Cast Flexible
Elastomer Bonded to
Microcellular Elastomer



Microcellular
Elastomer

Note

FIGURE 7

- 1) All dimension as required to suit OEM Equipment
- 2) All molded densities and hardnesses determined per application requirement





FIGURE 8

TOLERANCE (EXCEPT AS NOTED)	C.U.E., Inc. 11 LEDENBERG RD. CRANBERRY TWP, PA 16066 U.S.A.				
DECIMAL	SCALE: NTS	PART NUMBER:		DR. BY: KLV	REVISID:
	DATE: 10/99				
FRACTION	Microcellular Design # 3				MOLD NUMBER:
ANGULAR	Zero Crush Roll				DRAWING NUMBER: Sketch

Solid Cast Flexible
Elastomer Bonded to
Microcellular Elastomer



Microcellular
Elastomer

Note FIGURE 9

- 1) All dimension as required to suit OEM Equipment
- 2) All molded densities and hardnesses determined per application requirement





FIGURE 10

TOLERANCE (EXCEPT AS NOTED)	CUE, Inc. 11 LEDENBERG RD. CRANBURY TWP, PA 16066 U.S.A.		DR. BY: KLV	
	SCALE: NTS	PART NUMBER:	REVISED:	
DECIMAL	DATE: 10/99	Mold Number:		DRAWING NUMBER: Sketch
FRACTION	Microcellular Design # 4		Zero Crush Roll	
ANGULAR				

DOCKET "1836-001630"

DETAIL OF SPOKES

SCALE: 2x



URETHANE TIRE

ALUMINUM HUB




FIGURE 12
(PRIOR ART)

FIGURE 11
(PRIOR ART)

Part No. 124-2038

QUALITY BOWLING

888 W. HARTSHORN AVE.
MILWAUKEE, WI 53212

Titles: TIRE - NEW MATIC
POWER LIFT

Material: 72A URETHANE BONDED TO HUB

Finish:

Drawn by: A. WOOD App'd. by: [Signature]
DATE: 04/23/93 SCALE: 1 of 1

CAD No. 124-2038
SHEET 1 OF 1

TOLERANCES

UNLESS OTHERWISE SPECIFIED
ALL DIMENSIONS ARE IN INCHES
XX ± .010 .XXX ± .005
ANGLES ± 1°
BREAK ALL SHARP EDGES
63/ MIN. ALL MACHINED SURFACES

00577-42447250

FIGURE 14
(PRIOR ART)





FIGURE 13
(PRIOR ART)

NOTE: 45-50

1) MAT'L: DURO URETHANE

0645 BUK.

Q0920

REVISIONS		TOLERANCES UNLESS OTHERWISE SPECIFIED	CORRUGATED REPLACEMENTS, INC.
SYN.	DATE/DESC.		
		DECIMAL XX = .0015 XXX = .0005	NO CRUSH SLEEVE (METRIC) SIMON
		FRACTIONAL ± 1/64	
		ANGULAR ± 1/2°	
		DRN: BJ	SCALE: FULL
		REV'D: JAK	VD #: -
		APP'D: JAK	DRAWING NO: 691-TVS
			EQ #: -




FIGURE 16
(PRIOR ART)




FIGURE 15
(PRIOR ART)

MAT'L: URETHANE
70-DUROMETER

REVISIONS		TOLERANCES		CORRUGATED REPLACEMENTS, INC.	
SYN.	DATE/DESC.	UNIT	UNIT	NO CRUSH SLEEVE	MISC. ITEM
				DRN: BJ	SCALE: FULL
				REV: BJ	12-3-1993
				APP'D: BJ	DRAWING NO: 692-TVS
				EQ: BJ	

CREAT# 00921